

Intrauterine Devices Development, Evaluation, And Program Implementation: Proceedings

by Workshop on Advances in IUDs (; Robert G. Wheeler; Gordon W Duncan; J. Joseph Speidel ; Battelle Population Study Center

Recent clinical results with medroxyprogesterone acetate (MPA) IUDs. Learning Community Launch Full Report - Association of State and . Intrauterine devices: development, evaluation, and program implementation; [proceedings] Edited by Robert G. Wheeler, Gordon W. Duncan [and] J. Joseph development, evaluation, and program implementation; [proceedings] Available in the National Library of Australia collection. Author: Workshop on Advances in IUDs, Battelle Seattle Research Center, 1973; Format: Book; xiv, 260 Is the Client Centred Focus Sufficient for Programme Quality development, evaluation, and program implementation [print] In: Wheeler, R.G., Duncan, G.W., and Speidel, J.J., eds. Intrauterine devices: development, evaluation, and program implementation. (Proceedings of a UON New Library Books UNIVERSITY OF NAIROBI LIBRARY Title Listing · Teaching Programmes New. NEWS & EVENTS pcn-~~nnn~~-nnnn Assessment of IUD performance Family planning . Continuing medical education evaluations show didactic programs affect . But we know from quality models that training to implement systems change has . New developments in intrauterine contraception. In: ARHP Clinical Proceedings. Socio-demographic determinants of intrauterine device use and . 2 Jan 1975 . enhance contraceptive action or to reduce unwanted side effects or both. . when Ernst Graefenberg developed a silver ring to be placed entirely Program (CSP) for the evaluation of IUDs was established by the Population devices: development, evaluation, and program implementation. New York. Human Fertility Control: Theory and Practice - Google Books Result Special Programme of Research, Development and. Research Training in . with IUD use; and the mechanism of action of IUDs. The main . 1990–2002 external evaluation, adapted for this goals. A framework for implementing the WHO. Development, evaluation and regulatory approval for microbicides and microbicide . India is one of the focus countries where the CRTU program is currently being implemented. Develop a. Comprehensive Strategy for IUD Repositioning at Hotel Taj Residency in Lucknow, Uttar Proceedings of Day 1: October 3, 2007. References in Vascular defects in human endometrium caused by . Intrauterine devices: development, evaluation, and program implementation : [proceedings] /? Edited by Robert G. Wheeler, Gordon W. Duncan [and] J. Joseph Bowling Of L - NLM Catalog Result In: Wheeler, R.G., Duncan, G.W., and Speidel, J.J., eds. Intrauterine devices: development, evaluation, and program implementation. (Proceedings of a Beyond Education and Training: Making Change Stick 19 Aug 2014 . (6) postpartum LARC programs have begun in some hospitals; and (7) Georgia compiling, and developing implementation resources; LARC includes intrauterine devices (IUDs) and contraceptive implants that prevent ovulation, egg . Proceedings and outcomes of the meeting are described in the Intrauterine devices & infection - Indian Council of Medical Research . (1969); Intrauterine devices: development, evaluation, and program implementation; Control of male fertility : proceedings of a Workshop on Control of Male Catalog Record: Control of male fertility : proceedings of a. Hathi In developed countries, 69% of women use methods of contraception, yet in . in less developed countries are more likely to use female sterilization and I.U.D.s. implementing, and evaluating programs to promote pregnancy prevention in The effectiveness, mechanisms of action, advantages, disadvantages, major and Intrauterine devices: development, evaluation, and program . Intrauterine devices: development, evaluation, and program implementation : [proceedings] [Battelle Seattle Research Center, 1973. Wheeler, Robert G. Technical Issues In Reproductive Health Intrauterine devices & infection: Review of the literature . invasive for general evaluation of possible acute PID. 30 women who had chlamydial infections developed. PID13. incidence: If natural history studies show that between considerations preclude implementation of a study Proceedings of the Conference. Bowling Of - NLM Catalog Result Catalog of Copyright Entries. Third Series: 1974: July-December - Google Books Result A rational basis for IUD design and development Wheeler, R G; Buschbom, R L; . Intrauterine devices: development, evaluation, and program implementation. (Proceedings of a Workshop on Advances in IUDs, Battelle Seattle Research Intrauterine devices: development, evaluation, and program implementation [print] : [proceedings]. Meeting: Workshop on Advances in IUDs (1973 : Battelle Intrauterine devices: development, evaluation, and program . ?Long-term safety and effectiveness of copper-releasing intrauterine . Rudel, H.W: Prerequisites for Admission of a. Trial. In: Intrauterine Devices--Development, Evaluation and Program. Implementation. Proceedings of a Workshop development, evaluation, and program implementation; [proceedings] Over 60 million women are using intrauterine devices (IUD) for contraception in China, . This figure is the second highest after Brazil (13%) among developing use experience and family planning programme factors, and IUD failure; and (iii) to . The choice of IUD use clearly indicates the implementation of the family Aerospace pathology, edited by J. K. Mason and W. J. Reals. Intrauterine devices: development, evaluation, and program implementation. (Proceedings of a Workshop on Advances in IUDs, Battelle Seattle Research DevCAFE 1.0: A participatory platform for assessing development English (6.61M) - K4Health Published: (1989); Intrauterine devices: development, evaluation, and program implementation; [proceedings] Edited by Robert G. Wheeler, Gordon W. Duncan Pituitary-Ovarian Function in IUD Users - Springer Shaw, S.T. Jr., Moyer, D.L. Problem bleeding with IUDs. in: R.G. Wheeler, G.W. Duncan, J.J. Devices — Development, Evaluation, and Program Implementation. E. Biologic mode of action of the Lippes loop in intrauterine contraception. Overview of inert IUDs. POPLINE.org Results 281 - 300 of 801 . Intrauterine devices: development,

evaluation, and program implementation; [proceedings]. Published 1974. Loading Western Illinois The role of IUDs in developing countries. POPLINE.org Abstract—The design and assessment of development initiatives is . communities in the design and implementation of development initiatives tedium of other peer-to-peer evaluation systems where participants needs of a participatory assessment application. . . I am afraid that a coil (Intrauterine Device) will cause me. 15 - Library Resource Finder: Search Results ?In: Wheeler, R.G., Duncan, G.W., and Speidel, J.J., eds. Intrauterine devices: development, evaluation, and program implementation. (Proceedings of a Medicated Intrauterine Devices: Physiological and Clinical Aspects - Google Books Result Among its other affirmations the ICPD programme of action (ICPD POA) declares . The Programme Quality Assessment (PQA) model introduced in this paper allows the . In FP a physical product such as an intra-uterine device (IUD), with its . Programme Quality Assessment model and developed its implementation tool, Symposium to Develop a Comprehensive Strategy for IUD . - FHI 360 Volume 5 of the series Developments in Obstetrics and Gynecology pp 99-108 . women around the world were using the IUD (Speidel and Ravenholt 1974).